

L Number	Hits	Search Text	DB	Time stamp
-	46	emboss\$3 near (die tool stamp) and (high adj aspect) and electro\$8	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/27 09:34
-	15	emboss\$3 near (die tool stamp) and (high adj aspect) and electrode\$10	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/27 09:36
-	12	emboss\$3 near (die tool stamp) and (high adj aspect) and electrolyt\$10	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/27 09:36
-	46	(emboss\$3 near (die tool stamp) and (high adj aspect) and electro\$8) (emboss\$3 near (die tool stamp) and (high adj aspect) and electrode\$10) (emboss\$3 near (die tool stamp) and (high adj aspect) and electrolyt\$10)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/27 09:51
-	1	((US-20030038105-\$).did.	US-PGPUB	2004/01/27 09:51
-	1	((US-20030038105-\$).did.) and high	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/27 09:51
-	8	((US-6422528-\$ or US-6284072-\$ or US-5575878-\$ or US-5279689-\$).did. or (US-20020179449-\$ or US-20010041307-\$).did. or (US-6350360-\$).did. or (NN8607532).tban.	USPAT; US-PGPUB; DERWENT; IBM_TDB	2004/01/27 10:28
-	6	((US-6422528-\$ or US-6284072-\$ or US-5575878-\$ or US-5279689-\$).did. or (US-20020179449-\$ or US-20010041307-\$).did. or (US-6350360-\$).did. or (NN8607532).tban.) and etch\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/27 10:29
-	6	((US-6422528-\$ or US-6284072-\$ or US-5575878-\$ or US-5279689-\$).did. or (US-20020179449-\$ or US-20010041307-\$).did. or (US-6350360-\$).did. or (NN8607532).tban.) and etch\$3) and ratio	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/27 10:29
-	1	((US-6422528-\$ or US-6284072-\$ or US-5575878-\$ or US-5279689-\$).did. or (US-20020179449-\$ or US-20010041307-\$).did. or (US-6350360-\$).did. or (NN8607532).tban.) and etch\$3) and ratio near "1"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/27 10:30
-	6	((US-6422528-\$ or US-6284072-\$ or US-5575878-\$ or US-5279689-\$).did. or (US-20020179449-\$ or US-20010041307-\$).did. or (US-6350360-\$).did. or (NN8607532).tban.) and etch\$3) and high adj aspect adj ratio	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/27 11:29
-	7	(emboss\$3 near (die tool stamp) and (high adj aspect) and electro\$8) and pointed	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/27 11:30
-	5	(emboss\$3 near (die tool stamp) and (high adj aspect) and electro\$8) and obelisk	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/27 11:29
-	7	((emboss\$3 near (die tool stamp) and (high adj aspect) and electro\$8) and pointed) ((emboss\$3 near (die tool stamp) and (high adj aspect) and electro\$8) and obelisk)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/27 11:30
-	13	(emboss\$3 near (die tool stamp) and (high adj aspect) and electro\$8) and (sharp conical needle needle-like)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/27 11:44

-	18	((emboss\$3 near (die tool stamp) and (high adj aspect) and electro\$8) and pointed) ((emboss\$3 near (die tool stamp) and (high adj aspect) and electro\$8) and obelisk)) ((emboss\$3 near (die tool stamp) and (high adj aspect) and electro\$8) and (sharp conical needle needle-like))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/27 11:31
-	0	((US-6422528-\$ or US-6284072-\$ or US-5575878-\$ or US-5279689-\$).did. or (US-20020179449-\$ or US-20010041307-\$).did. or (US-6350360-\$).did. or (NN8607532).tban.) AND (((emboss\$3 near (die tool stamp) and (high adj aspect) and electro\$8) and pointed) ((emboss\$3 near (die tool stamp) and (high adj aspect) and electro\$8) and obelisk)) ((emboss\$3 near (die tool stamp) and (high adj aspect) and electro\$8) and (sharp conical needle needle-like)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/27 11:32
-	12	(emboss\$3 near (die tool stamp) and (high adj aspect) and electro\$8) and pyramid\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/27 11:44
-	17	(emboss\$3 near (die tool stamp) and (high adj aspect) and electro\$8) and ridges	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/27 11:44
-	25	((emboss\$3 near (die tool stamp) and (high adj aspect) and electro\$8) and pyramid\$3) ((emboss\$3 near (die tool stamp) and (high adj aspect) and electro\$8) and ridges)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/27 11:52
-	0	emboss and perot	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/27 11:52
-	56	emboss\$3 and (fabry adj perot fabry-perot)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/27 12:22
-	59	emboss\$3 and perot	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/27 12:23
-	672	emboss\$3 and fresnel	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/27 12:24
-	125	emboss\$3 with fresnel	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/27 12:24
-	9	emboss\$3 near fresnel	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/27 12:28
-	2	emboss\$3 near microneedle	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/27 12:29

-	2	emboss\$3 near microneedle and (si silicon)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/27 12:30
-	11	emboss\$3 with microneedle and (si silicon)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/27 12:30
-	98	high adj aspect and emboss\$3 and (electroplat\$3 electroform\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/12 16:07
-	3	high adj aspect with emboss\$3 with (electroplat\$3 electroform\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/12 16:08
-	0	20030038105.URPN.	USPAT	2004/02/12 16:08
-	1	2003-418127.NRAN.	DERWENT	2004/02/12 16:08
-	6	high adj aspect with emboss\$3 same (electroplat\$3 electroform\$3) not (high adj aspect with emboss\$3 with (electroplat\$3 electroform\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/13 14:19
-	0	(metal metallic) near die with emboss\$3 same ((high adj aspect) "5:1")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/13 14:21
-	0	(metal metallic) with die with emboss\$3 same ((high adj aspect) "5:1")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/13 14:21
-	475	(metal metallic) with die with emboss\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/13 14:21
-	80	(metal metallic) near die with emboss\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/13 14:22
-	0	(metal metallic) near die with emboss\$3 same ratio	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/13 14:22
-	3	(metal metallic) near die with emboss\$3 and aspect adj ratio	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/13 14:22
-	26	(metal metallic) near die with emboss\$3 and ratio	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/13 14:30
-	0	20030187170.URPN.	USPAT	2004/02/13 14:28
-	27	(metal metallic) with die with emboss\$3 and aspect adj ratio	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/13 14:35

-	54	((metal metallic) near die with emboss\$3) not (((metal metallic) near die with emboss\$3 and ratio) ((metal metallic) near die with emboss\$3 and aspect adj ratio) ((metal metallic) with die with emboss\$3 and aspect adj ratio))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/13 14:35
---	----	--	---	------------------